



DESIGN LOADS:  
LIVE LOAD (FLOOR) = 40 PSF  
ROOF SNOW LOAD (S0) = 25 PSF  
WIND 115 MPH BASIC WIND SPEED, EXPOSURE 'B'  
SEISMIC DESIGN CATEGORY - 'C'

NOTES:  
1. ASSUMED SOIL BEARING CAPACITY OF 2500 PSF  
2. SNOW & WIND LOADS PER TABLE R301.2 (f)

NOTE SPECIFICATIONS:  
1. 2x6 - SPF, STUD GRADE NO. 2  
2. ROOF SHEATHING - 7/16\"/>

GENERAL NOTES:  
1. 2x4 WIDE TRUSS WIDTH = 24\"/>

REGISTERED ARCHITECT  
WILLIAM P. BRINNIER, RA  
PO BOX 160  
HURLEY, NY 12443  
Tel. 845-330-1942 Cell 845-417-1191

Bayhorse Gazebos & Barns  
2 Academy Hill Rd Redhook, NY 12571  
Tel. 845-758-1254 Fax. 845-758-2060  
www.Bayhorse.com

GARAGE FOR McHALE, RICH & LISA  
401 E. MAIN ST., JEFFERSON VALLEY, NY 10598

Revision Schedule	
No.	Description   Date

Mark Usivolk  
Drafting & Design  
845.377.1330

WILLIAM P. BRINNIER  
ARCHITECT, PLLC  
PO BOX 160  
HURLEY, NY 12443 (845) 417-1151  
BRINNIERARCHITECTURE@GMAIL.COM

McHALE GARAGE  
401 E. MAIN ST.  
JEFFERSON VALLEY, NY 10598

PLAN, ELEVATIONS,  
SECTIONS, DETAILS

11/6/24

A1